# Fixed PU Foam Universal Handrail Armrest For Construction Vehicle

#### **Basic Information**

Place of Origin: ChinaBrand Name: BER

Certification: SGS/ROSE/
 Model Number: BER-046
 Minimum Order Quantity: 500pcs

• Price: usd3.5~usd5.6

Packaging Details: 1pcs an opp bags / 50pcs per carton .
 Delivery Time: 20days according the order quantity
 Payment Terms: T/T, Western Union, MoneyGram

Supply Ability: 1000pcs per days



# **Product Specification**

• Features: Soft, Durable, Anti-slip

Size: Customizable
Style: Modern
Oem/Odm: Available
Color: Black
Shape: Round
Package: Carton Box

Maintenance: Easy To Clean/water WashableApplication: Stairs, Hallways, Corridors

Usage: Indoor
Load Capacity: 200kg
Material: PU Foaming
Installation Method: Screw Fixing
Installation: Wall-mounted

Highlight: fixed pu armrest, modern pu armrest,



## More Images



# Product Description

Item # : Armrest /PU handrail / PU foaming collapsing handrail /PU foam handrail, seat handle, bus handle		
Durable PU Foam Universal Armrest For Theater Seat, Bus, Truck, Tractor,		
Construction Vehicle		
Material	Polyurethane( PU in short )	
Customer design	We can accept retail according to our recently products .     We also accept customized items . We develop the products according to customer's 3D or idea .	
Artworks	Our design team make artwork for confirmation and suggest the best method.  We can offer 3D design for customer's confirmation.  We can develop the items according to customer's samples.	
Processe s	PU foaming method . (Customers can have theirs own request of the hardness ,colors ,size ,attachment and so on )	
Finishing	Hand polish / Color filling /	
Logo	Debossed logo / CMYK imprinting / Laser engraving /offset imprinting	
Function:	For convenient and safety home time	
Usage	For school / Office / laboratory /Hospital /Home	
Attachme nt :	Stainless steel folder	
ESD Version:	system resistance 10E5 ——10E8 Ω	
, ,	T/T . West Union bank .Paypal . L/C	
OEM/OE M	Yes .Custom designs are highly appreciated	
Samples time	5~7days after confirmed PP and PI	
Mass productio n	15~18days according to quantity	
Shipment	Vai our courier account / By sea of customer forwarder / DHL .FedEx / TNT /EMS /Air and so on	















# Packaging & Delivery

Selling Units:	lpcs a inner carton . 10pcs a out carton .
Gross weight	Around 15KGS per pcs according to customer request.
Package Type	Pack by our standard export carton as normal Carton size depends on package way(see it on packing& shipping lane) and quantity One 20 feet container can load about 500 pieces this model chair.
Lead Time	Quantity : 1~100pcs 15days around The delivery time to be negotiated .







#### Why choose our products .

	Production from raw material preparation to finished product delivery, with modern automatic imported production equipment, excellent work efficiency, can effectively control the cost
product development	Able to develop various molds in time and quickly according to the changes of customers' market demand.
	pay attention to technology research and development, strictly control quality, follow industry standards, reliable quality
1	service network all over the country, customers can enjoy convenient, quality service



#### Customer's questions with our answers

### Q: hardness of the PU parts

A: 20degree ~30degree . If you have a special request . We can adjust thehardness according to customer's request .

#### Q: How about we need OEM products ,Can we have our own design?

A: Yes. We have our own develop department .Can make new molds for customer according to customers' request .Our

make 3D model according to Samples or 3D from customer.

#### Q:Is the material environmentally friendly?

A: The PU foaming material is environmentally friendly.

#### Q:ls this mat washable?

A: Yes. It is washable.

#### Q:Can this mat prevent oil and dirt?

A:Yes, it is .This mat is easy clean mat.

#### Q: Can I get a sample, is the sample free?

 $\mbox{\sc A:Yes},$  Sample is ok. But customer should accept the shipping cost and samples charge .

**B**博尔然 Dongguan BER new material technology Co.,Ltd





