## Adjustable PU Leather Chairs Clean Room Office Fabric ESD Safe Lab Chairs

## **Basic Information**

Place of Origin: China
Brand Name: BER
Certification: SGS
Model Number: BER-074
Minimum Order Quantity: 100sets
Price: 10.5~25
Packaging Details: 1pcs a carton .

Delivery Time: 5~7days according to quantity
 Payment Terms: T/T, Western Union, MoneyGram

• Supply Ability: 3000pcs per day



## **Product Specification**

Material: PU Leather

• Size: Customized Design Or Stock One

Color: BlackModel: PU ChairsStyle: Industrial Chairs

• Quantity: 1 Piece

Seat Height: Can Accept Customer Design

Seat Width: 20 Inches
Usage: Indoor
Armrests: No
Assembly Required: Yes
Seat Depth: 18 Inches
Backrest Height: 20 Inches
Weight Capacity: 300 Lbs

Highlight: Adjustable PU Leather Chairs,



## More Images



## **Product Description**

Antistatic Leather Chair ESD Adjustable Laboratory Clean Room Office Fabric PU Foam Chair ESD Cleanroom Antistatic Chair Details: PU leather ESD chairs / anti-static PU leather chairs / High quality PU leather office chairs / office leather chairs Antistatic Leather Chair ESD Adjustable Laboratory Clean Room Office Fabric PU Foam Chair ESD Cleanroom Antistatic Chair Polyurethane( PU in short ) Material Our design team make artwork for confirmation and suggest the best method. Artworks We can offer 3D design for customer's confirmation. We can develop the items according to customer's samples. PU foaming method . (Customers can have theirs own request of the hardness ,colors ,size Processes ,attachment and so on ) Seat Size(w\*d): 410\*400mm 360\*250mm Back Size(w\*h): Finishing Hand polish / Color filling / Debossed logo / CMYK imprinting / Laser engraving /offset imprinting Logo Function: Backrest forward and backward adjustment For school / Office / laboratory /Hospital /Workshop production line/clear room Usage Attachment : Foot ring / Wheel / anti-static Metal conductive strip/ Height Adjustable 440-580mm(distance from seat to ground) Range: Ring: Φ420mm/fixed on base Base: Φ560mm /25mm High-quality cold-rolled steel pipe stamping forming. electroplating Wheels: PA Nylon, stud or castor optional ESD Version: system resistance 10E5 ——10E8 Ω T/T . West Union bank .Paypal . L/C Payment OEM/OEM Yes .Custom designs are highly appreciated 5~7days after confirmed PP and PI Samples time Mass production 15~18days according to quantity Vai our courier account / By sea of customer forwarder / DHL .FedEx / TNT /EMS /Air and Shipment





# Annotate ergonomic design















## SGS AUTHENTICATED EXPLOSION PROOF PNEUMATIC ROD

Thickness:2mm Professional testing|safety and durable











**Square Pallet** 

Hollow Foot Cup

Backrest chair -plating tray

Back chair - fittings









Aluminum Alloy Foot Aluminum Alloy Foot cup Aluminium Alloy Castor Gas lifting lever

## 气压棒结构图 The Internal Structure CUSHION RUBBER PISTON INNER HOLDER SPINDIE BALL HOUSING ASS,Y LARGE PIPE O RING GAS OPEN PIN PISTON ROD CYLINDER OPEN CLOSE PIN GAS SEAL SPINDLE GUIDE BEARING SUPPORT Clyijk.51.com

### Packaging & Delivery

Selling Units:	Single item
Single package size	57X57X28 cm
Single gross weight	3kgs ~ 10.000 kg
Package Type	Pack by our standard export carton as normal Carton size depends on package way(see it on packing& shipping lane) and quantity One 20 feet container can load about 500 pieces this model chair.
Lead Time	Quantity: 1~100pcs 15days around The delivery time to be negotiated.

### Why choose our products .

Price advantage	Production from raw material preparation to finished product delivery, with modern automatic imported production equipment, excellent work efficiency, can effectively control the cost
	Able to develop various molds in time and quickly according to the changes of customers' market demand.
	pay attention to technology research and development, strictly control quality, follow industry standards, reliable quality
1	service network all over the country, customers can enjoy convenient, quality service













Company introduction

Dong Guan Top Nine-Plus Enterprise Co.,Ltd named Hong Kong Dain Enterprise Co.ltd . Which was set up in the year of 2001. Specialized in producing PU foaming products over 20+ YEARS. The items which we are producing is All kinds of ESD

chairs, stand by charis, PU foaming chairs, ESD Lab chairs, PU foaming armrest and the PU attachment for washroom. Base on low labor charge, Convenience transportation, more than 500 staffs with 6 sets of Auto - machine water lines for mass production, We achieve a high reputation from our customers all over the world .

We have hundreds of employees who are skillful and have excellent experience in producing the PU foaming products (Selfcrust polyurethane foaming products ). Imported equipment from oversea market. We have our own design department, molding workshop, 8 CNC engrave machines), PU mix-melting workshop, engineering workshop, rubber injection workshop, injectionworkshop, assembly workshop, extreme- purifying workshop, packing workshop, printing work shop (including offer printing, screen printing, mobile printing).

Base on our seriously of QA and QC system. Which used to control final quality insurance in the end of each process. The products was finished in our factory directly and highly appreciated with my customers in oversea market.

Base on "high quality, reasonable price, fast delivery, superior material, good service". We have gained much support from our customers. We will highly appreciated with your inquiries ,designs ,samples or mails . If you have any new designs in needs .Please E-mail us . We will reply you ASAP. OEM and ODM orders will be highly appreciated.

Contact phone :86-0769-85983285 Mobilephone: 86-15989665990 Wechat/ whatapp" 86-15989665990

Mail: Sabrina@asia-npc.com asia npc@yeah.net

Address: BLD2. No 21, Shangjiao Road, San Tun village, Hou Jie Town. Dong Guan City. Guang Dong province. China

523964

## **B**博亦然 Dongguan BER new material technology Co.,Ltd



008615989665990



sabrina@asia-npc.com



pufoammanufacturing.com

Blg2.No 21.Shangijao road.shangtun.san tun village